

THE SYSTEM WEIGHS LESS SO YOU CAN HAUL MORE.

# twin MAXX

FEATURES REDUCED TRAILER WEIGHT FOR MAXIMUM PAYLOAD PLUS MULTIPLE ADDITIONS DESIGNED SPECIFICALLY FOR LIQUID HAULING APPLICATIONS.

THIS IS A SUPER B DESIGNED WITH AGRICULTURE IN MIND.



**POLYWEST**<sup>®</sup>  
liquid handling products

# FEATURES & BENEFITS



The Twin Maxx includes twin 5,025 US gallon Norwesco horizontal leg tanks built to safely haul liquids up to 1.9 specific gravity. These tanks feature molded-in legs to reduce sloshing with additional liquid movement restricted by Liquid Surge Stabilizer retro-fit baffle balls.



The plumbing system features leak-free Banjo manifold fittings and valves that are vibration resistant and extremely easy to service. The pump options include a 3" Honda-powered Pacer pump complete with the Protec engine protection system or the 3" Honda-powered Banjo pump with a wet seal package to allow for complete run-dry protection. Each trailer has a separate pump and the tanks are designed for either bottom or top loading.



The unique main tank valve is accessible from immediately beside the main plumbing manifold. This valve features an extended valve handle that makes filling and emptying the tank easier than ever.



Getting on and off of the trailer easily and safely is important. The Twin Maxx has a hinged aluminum ladder installed onto the fifth wheel platform between the two trailers that is slip resistant and lightweight, yet sturdy and durable.



Polywest's own ADFR System is an industry leading method of securing tanks to decks. Designed specifically for the physical characteristics of polyethylene and aluminum, the ADFR System disperses all of the forces inherent in liquid loads to the structural frame of the trailer. This not only provides maximum load security, it also isolates both the trailer deck and the tank from any undue stress and point loading.



It is important that the access to the tank lid is easy and safe. With a slip resistant aluminum grate custom fabricated from SAFETY-GRIP® Channel, the Twin Maxx platform is securely attached to the support bands and makes for safe access to the top of the tank.



Optional\* individually controlled lift axles can improve fuel efficiency and reduce emissions, prolong tire life, and reduce road damage if raised while the tanks are empty. On rough roads lowering the lift axles when empty can result in reduced bouncing.



Sometimes it is the little features that save you when you need them the most. The innovative hose management system on the Twin Maxx keeps the 30' of hose supplied with each trailer firmly anchored and sealed during transport, protects the corrosion-resistant polypropylene camlock fittings and provides a safe and convenient area to secure your hose when not in use.



The 16" hinged, vented lid was designed with hauling in mind. Hinged to prevent loss, lockable, easy to open yet secure in transport and virtually leak free, this is the lid that all tanks should have.



Both of the Twin Maxx's 5,025 US gallon Norwesco tanks have double hinged, slip resistant ladders that, while securely fastened to the tank and the trailer deck, will flex with the trailer during transport. This feature eliminates stress on the tank, trailer and deck common on fixed ladder systems. The powder coated steel ladders also feature a durable adhesive membrane between the ladder and the aluminum deck that prevents corrosion due to diverse metal contact.



**twin**  
**MAXX**  
BY POLYWEST

## SPECIFICATIONS

Total tank volume	10,050 US gallons
Tank construction	Heavy duty HDLPE polyethylene (up to 1.9 specific gravity)
Trailer lengths	2 x 28' (59' 6" total length front of trailer to back of bumper)
Trailer construction	Aluminum
Trailer weight (including tanks and accessories)	10,430 kg (+/- 3%) when equipped with drop axles
Drop axles (optional)	3

\* Please consult local regulations regarding the use of lift axles to determine suitability



Polywest is Canada's largest Norwesco tank distributor. Visit [www.polywest.ca](http://www.polywest.ca) or contact us for more information on our entire selection of products, including Polywest brands such as The Handler® and Bandit Band Wagon® along with distributed brand names such as Banjo, TeeJet, Combo-Jet, CDS-John Blue and more. Also ask us about our fiberglass liquid fertilizer tanks available in sizes up to 42,000 US gallons

**THE HANDLER® BANDIT**



**mix it  
move it  
store it**

[www.polywest.ca](http://www.polywest.ca) | 1-855-POLYWEST

**Winnipeg Head Office**  
3700 McGillivray Blvd  
Winnipeg, MB R3T 5S3 Canada

**Saskatoon**  
110 - 3240 Idylwyld Drive North  
Saskatoon, SK S7L 5Y7 Canada

**Edmonton**  
103, 2-26302 TWP Road 531A  
Acheson, AB T7X 5A3 Canada

**Calgary**  
9307 48 Street SE  
Calgary, AB T2C 2R1 Canada